

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

Claims 1-30 (canceled)

Claim 31. (currently amended) A process for producing a plastic molded part ~~parts~~ by applying a color effect-producing layer on a substantially transparent plastic material having a front face and a rear face, wherein the rear face is turned away from an observer, comprising the steps of:

- (a) optionally pretreating the rear face of the substantially transparent plastic material with a pretreatment selected from the group consisting of a physical/chemical treatment, an adhesion-promoting coating and combinations thereof; and
- (b) spray-applying at least one opaque lacquer layer disposed directly upon the rear face of the substantially transparent plastic material to produce a lacquer layer having a thickness of 10 to 30 μm ;

wherein the opaque lacquer is selected from the group consisting of colored lacquer, effect-producing lacquer and combinations thereof, and further wherein the plastic molded part is selected from the group consisting of bumpers, side panels, sills, mirror housing, door handles, engine bonnets, boot lids, tailgates, wings, spoilers and hub caps.

Claim 32. (currently amended) The process according to claim 31, wherein the rear face of the substantially transparent plastic material is pretreated with a physical/chemical treatment is selected from the group consisting of corona treatment, plasma treatment, flame treatment, irradiating with ultraviolet light, and combinations thereof.

Claims 33 – 37 (canceled)

Claim 38. (previously presented) The process according to claim 31, wherein the rear face of the substantially transparent plastic is pretreated with an adhesion promoting coating.

Claim 39. (previously presented) The process according to claim 32, wherein the substantially transparent plastic material is completely transparent.

Claim 40. (previously presented) The process according to claim 32, wherein the substantially transparent plastic material contains at least one of dyes, absorption pigments in non-opacifying amounts, effect pigments in non-opacifying amounts or combinations thereof.

Claim 41. (previously presented) The process according to claim 32, wherein the transparent plastic material further comprising an auxiliary substance, wherein said substance is selected from the group consisting of silicon dioxide, microtitanium dioxide, and glass fibers and combinations thereof.

Claim 42. (previously presented) The process according to claim 32, wherein the substantially transparent plastic material is selected from the group consisting of elastomers, thermoset materials, and thermoplastic materials.

Claim 43. (previously presented) The process according to claim 42, wherein the substantially transparent plastic material is selected from the group consisting of polycondensates, polyesters, polyethers, poly(meth)acrylate plastics, acrylonitrile/styrene/acrylate plastics, and any transparent blends thereof.

Claim 44. (currently amended) A process for producing a plastic molded part by applying a color effect-producing layer on a substantially transparent plastic material having a front face and a rear face, wherein the rear face is turned away from an observer, comprising the steps of:
(a) optionally pretreating the rear face of the substantially transparent plastic material with a pretreatment selected from the group consisting of a physical/chemical treatment, an adhesion-promoting coating and combinations thereof; and

(b) spray-applying at least one opaque lacquer layer disposed directly upon the rear face of the substantially transparent plastic material to produce a lacquer layer having a thickness of 10 to 30 μm ; wherein the opaque lacquer is selected from the group consisting of colored lacquer, effect-producing lacquer and combinations thereof, and further wherein the plastic molded part is selected from the group consisting of bumpers, side panels, sills, mirror housing, door handles, engine bonnets, boot lids, tailgates, wings, spoilers and hub caps
~~The process according to claim 31 comprising~~ and comprises a further step of applying an additional layer ~~a clear lacquer~~ to the opaque lacquer layer disposed on the rear surface of the substantially transparent plastic material wherein the additional layer is selected from the group consisting of a transparent coating, an opaque coating, a transparent film and an opaque film.

Claim 45. (previously presented) A plastic molded part made according to the process of claim 31.